



VIDEO INSIDE

FANTASTIC ROLL CARPET TERMURAH



CARPET PRIMA SENTIASA TERMURAH

KOLEKSI
FANTASTIC ROLL
CARPET TERMURAH
SENTIASA TERMURAH

CARPET PRIMA NILAI 3

WHATSAPP : <http://wa.me/601111111116>

LOKASI

GOOGLE : [https://maps.google.com/?
q=2.851989,101.806877](https://maps.google.com/?q=2.851989,101.806877)

WAZE : [<iframe src="https://embed.waze.com/iframe?
zoom=16&lat=2.852068&lon=101.806698&ct=livemap"
width="600" height="450" allowfullscreen></iframe>](https://embed.waze.com/iframe?zoom=16&lat=2.852068&lon=101.806698&ct=livemap)

ADDRESS : 110, Jalan Nilai 3/5, Kawasan Perindustrian Nilai 3, 71800
Nilai, Negeri Sembilan

WAKTU : Showroom (9.00 am - 11.00 pm)

OPERASI : Buka setiap hari termasuk cuti umum

INDEX

PG	NAME	THICKNESS	SIZE (LEBAR X PANJANG)	PRICE	WARRANTY
7-8	JAWA LOOP PILE	3 - 5MM	13.12 FT X 131 FT	99SEN /SQFT	3 YEARS
9-10	IMPERIAL	3.5 - 5.5MM	13.12 FT X 131 FT	RM1.29 /SQFT	5 YEARS
11-12	KEYSTONE	7 -9MM	13.12 FT X 98 FT	RM1.48 /SQFT	10 YEARS
13-15	VELOCITY	7 -9MM	13.12 FT X 114 FT	RM1.48 /SQFT	10 YEARS
16-18	SAPPHIRE	6 - 8MM	13.12 FT X 82 FT	RM1.48 /SQFT	10 YEARS
19-20	INTERNET	7 - 9MM	13.12 FT X 83 FT	RM1.48 /SQFT	10 YEARS
21-23	RAILWAY	6 - 8MM	13.12 FT X 131 FT	RM1.48 /SQFT	10 YEARS
24-26	HIGHWAY	6.5 - 8.5MM	13.12 FT X 131 FT	RM1.58 /SQFT	10 YEARS
27-29	STRIKE	4 - 5MM	13.12 FT X 82 FT	RM1.58 /SQFT	10 YEARS
30-31	NEWYORK	7 -9MM	13.12 FT X 98 FT	RM1.88 /SQFT	10 YEARS
32-33	EDINBURGH	7 -9MM	13.12 FT X 82 FT	RM1.88 /SQFT	10 YEARS
34-35	SPRING	7 -9MM	13.12 FT X 83 FT	RM1.88 /SQFT	10 YEARS
36-37	WASHINGTON	7 -9MM	13.12 FT X 83 FT	RM1.88 /SQFT	10 YEARS
38-39	FLORA	3 - 6MM	13.12 FT X 82 FT	RM1.88 /SQFT	10 YEARS
40-42	EMPEROR	5.5 - 7.5MM	13.12 FT X 114 FT	RM1.88 /SQFT	10 YEARS

43-44	SWIRL	3 - 6MM	13.12 FT X 83 FT	RM1.88 /SQFT	10 YEARS
45-46	ORACLE	3 - 6MM	13.12 FT X 83 FT	RM1.88 /SQFT	10 YEARS
47-49	FLORENCE	5 - 7MM	13.12 FT X 114 FT	RM1.88 /SQFT	10 YEARS
50-53	LOTUS	5 - 7MM	13.12 FT X 98 FT	RM1.88 /SQFT	10 YEARS
54	CHEROKEE	12 MM	12 FT X 98 FT	RM1.88 /SQFT	10 YEARS
55	CHIPOTLE	12 MM	12 FT X 98 FT	RM1.88 /SQFT	10 YEARS
56	DALLAS	12 MM	12 FT X 98 FT	RM1.88 /SQFT	10 YEARS
57	DOMINO CHECKS	12 MM	12 FT X 98 FT	RM1.88 /SQFT	10 YEARS
58	DOMINO DICE	12 MM	12 FT X 98 FT	RM1.88 /SQFT	10 YEARS
59	MEMPHIS	12 MM	12 FT X 98 FT	RM1.88 /SQFT	10 YEARS
60	MIRRAGE	12 MM	12 FT X 98 FT	RM1.88 /SQFT	10 YEARS
61	PALLADIO	12 MM	12 FT X 98 FT	RM1.88 /SQFT	10 YEARS
62-63	NEON	7 - 9MM	13.12 FT X 131 FT	RM1.99 /SQFT	10 YEARS
64-66	SPLENDOUR	4 - 6MM	13.12 FT X 114 FT	RM1.99 /SQFT	10 YEARS
67-70	MAGENTA	5 - 7MM	13.12 FT X 114 FT	RM1.99 /SQFT	10 YEARS
71-74	HAMMER	4 - 6MM	13.12 FT X 114 FT	RM1.99 /SQFT	10 YEARS

75-78	ATRIUM	4 - 6MM	13.12 FT X 131 FT	RM1.99 /SQFT	10 YEARS
79-82	CRISS CROSS	4 - 6MM	13.12 FT X 98 FT	RM1.99 /SQFT	10 YEARS
83-86	CAPRICE	4 - 6MM	13.12 FT X 114 FT	RM1.99 /SQFT	10 YEARS
87-90	SPRING 2.0	4 - 6MM	13.12 FT X 114 FT	RM1.99 /SQFT	10 YEARS
91-94	LIFE	4 - 6MM	13.12 FT X 98 FT	RM1.99 /SQFT	10 YEARS
95-96	GARDEN	10 - 12MM	13.12 FT X 98 FT	RM2.48 /SQFT	10 YEARS
97-98	EMOTION	10 - 12MM	13.12 FT X 83 FT	RM2.48 /SQFT	10 YEARS
99-100	CIRCLES	10 - 12MM	13.12 FT X 98 FT	RM2.48 /SQFT	10 YEARS
101-102	HOTEL	10 - 12MM	13.12 FT X 98 FT	RM2.48 /SQFT	10 YEARS
103-104	LUXURY	10 - 12MM	13.12 FT X 98 FT	RM2.68 /SQFT	10 YEARS
105-107	COPPER HILL	6 - 8MM	13.12 FT X 98 FT	RM2.68 /SQFT	10 YEARS
108-118	FANTASIA	4 - 6MM	13.12 FT X 114 FT	RM2.88 /SQFT	10 YEARS
119-132	ROYAL BLOOM	10 MM	13.12 FT X 92 FT	RM3.68	10 YEARS
133-135	MONACO	13 MM	13.12 FT X 98 FT	RM7.99	10 YEARS
136-137	VIP RUNNER SPEC "JKR"	10 MM	3FT X 20FT	RM265	10 YEARS
			4FT X 30FT	RM480	10 YEARS



ROLL CARPET

PREMIUM QUALITY, THE
CHEAPEST IN MALAYSIA



ABRASION
RESISTANCE



FLAME
RETARDANT



STAIN
RESISTANT



WATERPROOF



VARIETY OF
DESIGN
OPTIONS

JAWA



WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 0.99 / sqft

HARGA SIAP PASANG

RM 1.99 / sqft


>500sqft & above

KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: ACTION BACKING
GAUGE	: 1/8 "
KETEBALAN	: 3 - 5 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: 100% BCF DURALEX OLEFIN
TUFT DENSITY	: +/-94500/M ²
CONSTRUCTION	: LOOP PILE
CARPET WEIGHT	: ca.33 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**
EN1307, EN1407, EN13297
EN1963, PREN15114, EN14215




Flammability
ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**
AATCC 175-1993



**Abrasion
Resistance**
EN 13329, EN 660-1
EN 660-2



**Light
Fastness**
AATCC 16E



**Electrical
Behaviour**
EN 14041, EN 1815
EN 6356

[CLICK HERE
TO WATCH VIDEO](#)



JW 001



JW 002



JW 003



JW 004



JW 005



JW 006



JW 007



JW 008

CARPET PRIMA
SENILASA TERMURAH



011- 1111 1116

3 - 5 MM





JAWA

 **CLICK HERE
TO WATCH VIDEO**

LOOP PILE SCROLL



JW 001



JW 002



JW 003



JW 004



JW 005



JW 006



JW 007



JW 008



KEKUTUBAN
CARPET DURABILITY
Test methods: ISO
9107 and ISO 9108
ISO 9107 and ISO 9108



KEKUTUBAN
Color Change
Test methods: ISO
9107 and ISO 9108
ISO 9107 and ISO 9108



KEKUTUBAN
Flame Resistance
Test methods: ISO
9107 and ISO 9108
ISO 9107 and ISO 9108



KEKUTUBAN
Abrasion Resistance
Test methods: ISO
9107 and ISO 9108
ISO 9107 and ISO 9108



KEKUTUBAN
Static Electricity
Test methods: ISO
9107 and ISO 9108
ISO 9107 and ISO 9108



KEKUTUBAN
Moisture Resistance
Test methods: ISO
9107 and ISO 9108
ISO 9107 and ISO 9108

IMPERIAL

CARPET
PRIMA
KILANG NILAI 3

WARRANTY PRIMA



[CLICK HERE
TO WATCH VIDEO](#)

KARPET ROLL

HARGA DIRECT KILANG

RM 1.29 / sqft

HARGA SIAP PASANG

RM 2.29 / sqft


>500sqft & above

KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: WOVEN POLYPROPYLENE
DYE METHOD	: SOLUTION DYED
KETEBALAN	: 3.5 - 5.5 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: STRUDON POLYPROPYLENE BCF
CONSTRUCTION	: LEVEL LOOP
CARPET WEIGHT	: 425 Gr/M ²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**
EN1307, EN1407, EN13297
EN1963, PREN15114, EN14215




Flammability
ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**
AATCC 175-1993



**Abrasion
Resistance**
EN 13329, EN 660-1
EN 660-2



**Light
Fastness**
AATCC 16E



**Electrical
Behaviour**
EN 14041, EN 1815
EN 6356



IM 8613



IM 8682



IM 8659



IM 8611



IM 8646



IM 8667



IM 8676



IM 8630

3.5 - 5.5 MM ↑↓



CARPET PRIMA
SENTIASA TERMURAH



011- 1111 1116



IMPERIAL

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



IM 8613



IM 8682



IM 8659



IM 8611



IM 8646



IM 8667



IM 8676



IM 8630

KEYSTONE

CARPET
PRIMA
KILANG NILAI 3

WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.48 / sqft

HARGA SIAP PASANG

RM 2.48 / sqft

>500sqft & above




**CLICK HERE
TO WATCH VIDEO**

KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: WOVEN POLYPROPYLENE
MACHINE GAUGE	: 1 / 10"
KETEBALAN	: 7 - 9 MM
KESESUAIAN	: COMMERCIAL
FIBRE	: 100% BCF POLYPROPYLENE
CONSTRUCTION	: TEXTURERD GRAPHIC LOOP
CARPET WEIGHT	: 24 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**

EN 1307, EN 1407, EN 13297
EN 1963, PREN 15114, EN 14215



Flammability

ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**

AATCC 175-1993




**Abrasion
Resistance**

EN 13329, EN 660-1
EN 660-2



**Light
Fastness**

AATCC 16E



**Electrical
Behaviour**

EN 14041, EN 1815
EN 6356



803 - RED



804 - GREEN



805 - BROWN

CARPET PRIMA
SENTIASA TERMURAH



011- 1111 1116



KEYSTONE

SERIES



CLICK HERE
TO WATCH VIDEO



803 - RED



804 - GREEN



805 - BROWN

VELOCITY



WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.48 / sqft

HARGA SIAP PASANG

RM 2.48 / sqft

>500sqft & above



KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: ACTION BACKING
MACHINE GAUGE	: 1 / 10"
TUFT DENSITY	: +/- 181 240 / M ²
KETEBALAN	: 7 - 9 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: 100% BCF DURALAX OLEFIN
CONSTRUCTION	: LOOP PILE GRAPHIC
CARPET WEIGHT	: 45 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**
EN 1307, EN 1407, EN 13297
EN 1963, PREN 15114, EN 14215




Flammability
ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**
AATCC 175-1993



**Abrasion
Resistance**
EN 13329, EN 660-1
EN 660-2




**Light
Fastness**
AATCC 16E



**Electrical
Behaviour**
EN 14041, EN 1815
EN 6356




VC 001



VC 002



VC 003



VC 004



VC 005

CARPET PRIMA
SENILASA TERMURAH



011- 1111 1116



VELOCITY

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



VC 001




VC 002



VELOCITY

SERIES


[CLICK HERE
TO WATCH VIDEO](#)



VC 003



VC 004



VC 005

SAPPHIRE

CARPET
PRIMA
KILANG NILAI 3

WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.48 / sqft

HARGA SIAP PASANG

RM 2.48 / sqft

>500sqft & above




**CLICK HERE
TO WATCH VIDEO**

KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: ACTION BACKING
MACHINE GAUGE	: 1 / 10"
TUFT DENSITY	: +/- 169 850 / M ²
KETEBALAN	: 6 - 8 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: 100% BCF DURALAX OLEFIN
CONSTRUCTION	: LOOP PILE GRAPHIC
CARPET WEIGHT	: 43 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**

EN1307, EN1407, EN13297
EN1963, PREN15114, EN14215



Flammability

ASTM D-2859-96
& CPSC FF -170



**Staining
Resistance**

AATCC 175-1993




**Abrasion
Resistance**

EN 13329, EN 660-1
EN 660-2




**Light
Fastness**

AATCC 16E



**Electrical
Behaviour**


EN 14041, EN 1815
EN 6356




SA001




SA002



SA003



SA004



SA005



SA006



SA007

CARPET PRIMA
SENILASA TERMURAH



011- 1111 1116



SAPPHIRE

SERIES

[CLICK HERE
TO WATCH VIDEO](#)




SA001



SA002



SA003




SA004



SAPPHIRE

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



SA005



SA006



SA007

INTERNET



WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.48 / sqft

HARGA SIAP PASANG

RM 2.48 / sqft

>500sqft & above




**CLICK HERE
TO WATCH VIDEO**

KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: WOVEN POLYPROPYLENE
MACHINE GAUGE	: 1 / 8"
KETEBALAN	: 7 -9 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: 100% BCF POLYPROPYLENE
CONSTRUCTION	: TEXTURED GRAPHIC LOOP
CARPET WEIGHT	: 24 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**
EN 1307, EN 1407, EN 13297
EN 1963, PREN 15114, EN 14215




Flammability
ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**
AATCC 175-1993




**Abrasion
Resistance**
EN 13329, EN 660-1
EN 660-2




**Light
Fastness**
AATCC 16E




**Electrical
Behaviour**
EN 14041, EN 1815
EN 6356




801 - RED



802 - TURQUOISE



8011 - RED



8022 - NAVY

CARPET PRIMA
SENILASA TERMURAH




011- 1111 1116



INTERNET

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



801 - RED



802 - TURQUIOSE



8022 - NAVY



8011 - RED

RAILWAY



WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.48 / sqft

HARGA SIAP PASANG

RM 2.48 / sqft


>500sqft & above



KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: ACTION BACKING
MACHINE GAUGE	: 1 / 10"
TUFT DENSITY	: +/- 169 850 / M ²
KETEBALAN	: 6 - 8 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: 100% BCF DURALAX OLEFIN
CONSTRUCTION	: LOOP PILE GRAPHIC
CARPET WEIGHT	: 43 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER



**Stairs
continuous use**
EN 1307, EN 1407, EN 13297
EN 1963, PR EN 15114, EN 14215




Flammability
ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**
AATCC 175-1993



**Abrasion
Resistance**
EN 13329, EN 660-1
EN 660-2



**Light
Fastness**
AATCC 16E



**Electrical
Behaviour**
EN 14041, EN 1815
EN 6356



RW001




RW002



RW003



RW004



RW005



RW006



RW007

CARPET PRIMA
SENTIASA TERMURAH



011- 1111 1116



RAILWAY

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



RW001



RW002



RW003



RW004



RAILWAY

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



RW005



RW006



RW007

HIGHWAY

CARPET
PRIMA
KILANG NILAI 3

WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.58 / sqft

HARGA SIAP PASANG

RM 2.58 / sqft

>500sqft & above




**CLICK HERE
TO WATCH VIDEO**

KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: ACTION BACKING
GAUGE	: 1/10 "
KETEBALAN	: 6.5 - 8.5 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: 100% BCF DURALEX OLEFIN
TUFT DENSITY	: +/-169 850 /M ²
CONSTRUCTION	: LOOP PILE GRAPHIC
CARPET WEIGHT	: ca.43 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**

EN1307, EN1407, EN13297
EN1963, PR EN15114, EN14215



Flammability

ASTM D-2859-96
& CPSC FF -170



**Staining
Resistance**

AATCC 175-1993




**Abrasion
Resistance**

EN 13329, EN 660-1
EN 660-2



**Light
Fastness**

AATCC 16E



**Electrical
Behaviour**

EN 14041, EN 1815
EN 6356




HW001




HW002




HW003



HW004



HW005



HW006



HW007



HW008

CARPET PRIMA
SENILASA TERMURAH



011- 1111 1116




HIGHWAY

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



HW001



HW002



HW003



HW004



HIGHWAY

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



HW005



HW006



HW007



HW008

STRIKE

CARPET
PRIMA
KILANG NILAI 3

WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.58 / sqft

HARGA SIAP PASANG

RM 2.58 / sqft

>500sqft & above


[CLICK HERE
TO WATCH VIDEO](#)

KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: ACTION BACKING
MACHINE GAUGE	: 5 / 32"
KETEBALAN	: 4 - 5 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: 100% BCF DURALEX OLEFIN
CONSTRUCTION	: LOOP PILE GRAPHIC
CARPET WEIGHT	: 45 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**

EN1307, EN1407, EN13297
EN1963, PR EN15114, EN14215



Flammability

ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**

AATCC 175-1993




**Abrasion
Resistance**

EN 13329, EN 660-1
EN 660-2



**Light
Fastness**

AATCC 16E



**Electrical
Behaviour**

EN 14041, EN 1815
EN 6356



ST001



ST002



ST003

CARPET PRIMA
SENILASA TERMURAH



011- 1111 1116



STRIKE



CLICK HERE
TO WATCH VIDEO

SERIES



ST001



STRIKE

[CLICK HERE
TO WATCH VIDEO](#)

SERIES



ST002



ST003

NEW YORK

WARRANTY PRIMA

CARPET
PRIMA
KILANG NILAI 3



KARPET ROLL

[CLICK HERE
TO WATCH VIDEO](#)

HARGA DIRECT KILANG

RM 1.88 / sqft

HARGA SIAP PASANG

RM 2.88 / sqft


>500sqft & above

KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: WOVEN POLYPROPYLENE
MACHINE GAUGE	: 1 / 10"
KETEBALAN	: 7 - 9 MM
KESESUAIAN	: COMMERCIAL
FIBRE	: 100% BCF POLYPROPYLENE
CONSTRUCTION	: TEXTURE GRAPHIC LOOP
DESIGN REPEAT	: 36.5CM * 65CM (862 AND 863) 36.5CM * 45CM (871 AND 872)
CARPET WEIGHT	: 24 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**
EN1307, EN1407, EN13297
EN1963, PR EN 15114, EN14215




Flammability
ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**
AATCC 175-1993



**Abrasion
Resistance**
EN 13329, EN 660-1
EN 660-2



**Light
Fastness**
AATCC 16E



**Electrical
Behaviour**
EN 14041, EN 1815
EN 6356



871 - GOLD



872 - KHAKHI



862 - IVORY



863 - RED

CARPET PRIMA
SENILASA TERMURAH



011- 1111 1116



NEW YORK

SERIES

[CLICK HERE
TO WATCH VIDEO](#)




862 - IVORY



863 - RED



871- GOLD



872 - KHAKI

EDINBURGH

CARPET
PRIMA
KILANG NILAI 3

WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.88 / sqft

HARGA SIAP PASANG

RM 2.88 / sqft

>500sqft & above

[CLICK HERE
TO WATCH VIDEO](#)

KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: WOVEN POLYPROPYLENE
MACHINE GAUGE	: 1 / 10"
KETEBALAN	: 7 - 9 MM
KESESUAIAN	: COMMERCIAL
FIBRE	: 100% BCF POLYPROPYLENE
CONSTRUCTION	: TEXTURE GRAPHIC LOOP
CARPET WEIGHT	: 24 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**
EN1307, EN1407, EN13297
EN1963, PREN15114, EN14215




Flammability
ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**
AATCC 175-1993



**Abrasion
Resistance**
EN 13329, EN 660-1
EN 660-2



**Light
Fastness**
AATCC 16E



**Electrical
Behaviour**
EN 14041, EN 1815
EN 6356



7215 - CAMEL



7225 - CAMEL



7235 - CAMEL

CARPET PRIMA
SENTILASA TERMURAH



011- 1111 1116



EDINBURGH

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



7215-CAMEL



7225-CAMEL



7235-CAMEL

SPRING



WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.88 / sqft

HARGA SIAP PASANG

RM 2.88 / sqft

>500sqft & above




KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: WOVEN POLYPROPYLENE
MACHINE GAUGE	: 1 / 10"
KETEBALAN	: 7 - 9 MM
KESESUAIAN	: COMMERCIAL
FIBRE	: 100% BCF POLYPROPYLENE
CONSTRUCTION	: TEXTURE GRAPHIC LOOP
DESIGN REPEAT	: 36.5CM * 70CM
CARPET WEIGHT	: 24 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**

EN 1307, EN 1407, EN 13297
EN 1963, PR EN 15114, EN 14215



Flammability

ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**

AATCC 175-1993




**Abrasion
Resistance**

EN 13329, EN 660-1
EN 660-2




**Light
Fastness**

AATCC 16E




**Electrical
Behaviour**


EN 14041, EN 1815
EN 6356



821 - CREAM



822 - KHAKHI



823 - RED

CARPET PRIMA
SENTIASA TERMURAH



011- 1111 1116



SPRING

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



821 - CREAM



822 - KHAKHI



823 - RED

WASHINGTON

CARPET
PRIMA
KILANG NILAI 3

WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.88 / sqft

HARGA SIAP PASANG

RM 2.88 / sqft

>500sqft & above



**CLICK HERE
TO WATCH VIDEO**

KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: WOVEN POLYPROPYLENE
MACHINE GAUGE	: 1 / 10"
KETEBALAN	: 7 - 9 MM
KESESUAIAN	: COMMERCIAL
FIBRE	: 100% BCF POLYPROPYLENE
CONSTRUCTION	: TEXTURE GRAPHIC LOOP
DESIGN REPEAT	: 36.5CM * 49.5CM
CARPET WEIGHT	: 24 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**
EN 1307, EN 1407, EN 13297
EN 1963, PREN 15114, EN 14215



Flammability
ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**
AATCC 175-1993




**Abrasion
Resistance**
EN 13329, EN 660-1
EN 660-2



**Light
Fastness**
AATCC 16E



**Electrical
Behaviour**
EN 14041, EN 1815
EN 6356



811 - GOLD



812 - KHAKHI



813 - RED

CARPET PRIMA
SENTIASA TERMURAH



011- 1111 1116



WASHINGTON

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



811-GOLD



812-KHAKHI



813-RED

FLORA



WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.88 / sqft

HARGA SIAP PASANG

RM 2.88 / sqft

>500sqft & above




**CLICK HERE
TO WATCH VIDEO**

KLASIFIKASI PRODUK

LEBAR	: 3.6 M
BACKING	: ACTION BACKING
MACHINE GAUGE	: 1 / 10"
KETEBALAN	: 3 - 6 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: 100% BCF SOLUTION DYED SYNTHETIC
CONSTRUCTION	: LOOP PILE GRAPHICS
CARPET WEIGHT	: 50 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**
EN1307, EN1407, EN13297
EN1963, PREN15114, EN14215




Flammability
ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**
AATCC 175-1993



**Abrasion
Resistance**
EN 13329, EN 660-1
EN 660-2



**Light
Fastness**
AATCC 16E



**Electrical
Behaviour**
EN 14041, EN 1815
EN 6356




101 - GOLDEN TAN



102 - DARK BEIGE



103 - TERRACOTTA



104 - DUSTY BROWN

CARPET PRIMA
SENILASA TERMURAH



011- 1111 1116



FLORA

[CLICK HERE
TO WATCH VIDEO](#)

SERIES



101 - GOLDEN TAN



102 - DARK BEIGE



103 - TERRACOTTA



104 - DUSTY BROWN

EMPEROR



WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.88 / sqft

HARGA SIAP PASANG

RM 2.88 / sqft

>500sqft & above




KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: WOVE POLYPROPYLENE
DYE METHOD	: SOLUTION DYED
KETEBALAN	: 5.5 - 7.5 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: STRUDON POLYPROPYLENE BCF
CONSTRUCTION	: LEVEL LOOP
CARPET WEIGHT	: 700 Gr / M ²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**
EN 1307, EN 1407, EN 13297
EN 1963, PR EN 15114, EN 14215




Flammability
ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**
AATCC 175-1993



**Abrasion
Resistance**
EN 13329, EN 660-1
EN 660-2



**Light
Fastness**
AATCC 16E




**Electrical
Behaviour**
EN 14041, EN 1815
EN 6356



EO 820



EO 824



EO 830




EO 880




EO 910



EO 814



EO 802



EO 900



EO 890

CARPET PRIMA
SENTIASA TERMURAH



011- 1111 1116

5.5 - 7.5 MM





EMPEROR

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



QUALITY SAMPLE



EO 890



EO 802



EO 900



EMPEROR

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



EO 820



EO 824



EO 830



EO 880



EO 910



EO 814

SWIRL

CARPET
PRIMA
KILANG NILAI 3

WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.88 / sqft

HARGA SIAP PASANG

RM 2.88 / sqft

>500sqft & above


[CLICK HERE
TO WATCH VIDEO](#)

KLASIFIKASI PRODUK

LEBAR	: 3.6 M
BACKING	: ACTION BACKING
MACHINE GAUGE	: 1 / 10"
KETEBALAN	: 3 - 6 MM
KESESUAIAN	: COMMERCIAL
FIBRE	: 100% BCF SOLUTION DYED SYNTHETIC
CONSTRUCTION	: 1/10" TUFTED LOOP PILE GRAPHICS
CARPET WEIGHT	: 50 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**
EN 1307, EN 1407, EN 13297
EN 1963, PREN 15114, EN 14215




Flammability
ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**
AATCC 175-1993



**Abrasion
Resistance**
EN 13329, EN 660-1
EN 660-2



**Light
Fastness**
AATCC 16E



**Electrical
Behaviour**
EN 14041, EN 1815
EN 6356



301 - LIGHT OAK



302 - LAVA ROCK



303 - MARINE BLUE



304 - DAWN GREY

CARPET PRIMA
SENTIASA TERMURAH



011- 1111 1116



SWIRL

SERIES

[CLICK HERE
TO WATCH VIDEO](#)




301 - LIGHT OAK



302 - LAVA ROCK



303 - MARINE BLUE



304 - DAWN GREY

ORACLE



WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.88 / sqft

HARGA SIAP PASANG

RM 2.88 / sqft

>500sqft & above


[CLICK HERE TO WATCH VIDEO](#)

KLASIFIKASI PRODUK

LEBAR	: 3.6 M
BACKING	: ACTION BACKING
STITCHES	: 41 PER 10CM
KETEBALAN	: 3 -6 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: 100% BCF SOLUTION DYED SYNTHETIC
CONSTRUCTION	: 1/10" TUFETED LOOP PILE GRAPHICS
CARPET WEIGHT	: 50 OZ/Y ²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**
EN 1307, EN 1407, EN 13297
EN 1963, PREN 15114, EN 14215




Flammability
ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**
AATCC 175-1993



**Abrasion
Resistance**
EN 13329, EN 660-1
EN 660-2




**Light
Fastness**
AATCC 16E



**Electrical
Behaviour**
EN 14041, EN 1815
EN 6356



201 - MYSTIC BLUE



202 - SMOKEY GREY



203 - LUSH RED



204 - FIRE BRICK



205 - STYLISH SILVER



206 - AMBER OLIVE

CARPET PRIMA
SENTIASA TERMURAH



011- 1111 1116



ORACLE

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



201 - MYSTIC BLUE




202 - SMOKEY GREY



203 - LUSH RED



204 - FIRE BRICK



205 - STYLISH SILVER



206 - AMBER OLIVE

FLORENCE

CARPET
PRIMA
KILANG NILAI 3

WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.88 / sqft

HARGA SIAP PASANG

RM 2.88 / sqft

>500sqft & above

[CLICK HERE
TO WATCH VIDEO](#)

KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: WOVE POLYPROPYLENE
DYE METHOD	: SOLUTION DYED
KETEBALAN	: 5 -7 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: STRUDON POLYPROPYLENE BCF
CONSTRUCTION	: HI-LOW GRAPHIC
CARPET WEIGHT	: 750 Gr/M ²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**
EN 1307, EN 1407, EN 13297
EN 1963, PREN 15114, EN 14215




Flammability
ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**
AATCC 175-1993




**Abrasion
Resistance**
EN 13329, EN 660-1
EN 660-2




**Light
Fastness**
AATCC 16E




**Electrical
Behaviour**
EN 14041, EN 1815
EN 6356




FL 1



FL 2



FL 3



FL 7



FL 10

CARPET PRIMA
SENTIASA TERMURAH



011- 1111 1116



FLORENCE

SERIES



CLICK HERE
TO WATCH VIDEO



FL 10



FLORENCE

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



FL 1



FL 2



FL 3



FL 7

LOTUS

CARPET
PRIMA
KILANG NILAI 3

WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.88 / sqft

HARGA SIAP PASANG

RM 2.88 / sqft

>500sqft & above


[CLICK HERE
TO WATCH VIDEO](#)

KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: WOVEN POLYPROPYLENE
DYE METHOD	: SOLUTION DYED
KETEBALAN	: 5 -7 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: STRUDON POLYPROPYLENE BCF
CONSTRUCTION	: GRAPHIC LOOP PILE
CARPET WEIGHT	: 675 Gr/M ²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**

EN 1307, EN 1407, EN 13297
EN 1963, PREN 15114, EN 14215



Flammability

ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**

AATCC 175-1993




**Abrasion
Resistance**

EN 13329, EN 660-1
EN 660-2



**Light
Fastness**

AATCC 16E



**Electrical
Behaviour**

EN 14041, EN 1815
EN 6356



L2 442 BISQUE BEIGE



L2 447 SALMON BROWN



L2 448 BARK BROWN



L2 444 BLUE BEETLE



L2 449 COAL BLACK

CARPET PRIMA
SENILASA TERMURAH



011- 1111 1116




LOTUS

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



L2 442 BISQUE BEIGE



L2 447 SALMON BROWN



LOTUS

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



L2 448 BARK BROWN



LOTUS

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



L2 444 BLUE BEETLE



L2 449 COAL BLACK

3D MULTI LEVEL LATEST CARPET (HEAVY DUTY)



WARRANTY PRIMA



HARGA DIRECT KILANG

RM 1.88 / sqft

HARGA SIAP PASANG

RM 2.88 / sqft

>500sqft & above




KLASIFIKASI PRODUK

LEBAR	: 3.66 METER (12 FT)
BACKING	: WOVEN POLYPROPYLENE
DYE METHOD	: SOLUTION DYED
KETEBALAN	: 10 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: CAMIFIN CABLED POLYPROPYLENE BCF
CONSTRUCTION	: 1/12"MULTI LEVEL SCROLL
CARPET WEIGHT	: 2000 Gr/M ²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**

EN 1307, EN 1407, EN 13297
EN 1963, PREN 15114, EN 14215



Flammability

ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**

AATCC 175-1993




**Abrasion
Resistance**

EN 13329, EN 660-1
EN 660-2



**Light
Fastness**

AATCC 16E



**Electrical
Behaviour**

EN 14041, EN 1815
EN 6356

CHEROKEE



649 - ALMOND FROST



657 - BLUE KNIGHT



679 - TANGLE GREY

CARPET PRIMA
SENTIASA TERMURAH



011- 1111 1116

3D MULTI LEVEL LATEST CARPET (HEAVY DUTY)



WARRANTY PRIMA



HARGA DIRECT KILANG

RM 1.88 / sqft

HARGA SIAP PASANG

RM 2.88 / sqft

>500sqft & above




KLASIFIKASI PRODUK

LEBAR	: 3.66 METER (12 FT)
BACKING	: WOVEN POLYPROPYLENE
DYE METHOD	: SOLUTION DYED
KETEBALAN	: 10 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: CAMIFIN CABLED POLYPROPYLENE BCF
CONSTRUCTION	: 1/12"MULTI LEVEL SCROLL
CARPET WEIGHT	: 2000 Gr/M ²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**

EN1307, EN1407, EN13297
EN1963, PREN15114, EN14215



Flammability

ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**

AATCC 175-1993




**Abrasion
Resistance**

EN 13329, EN 660-1
EN 660-2



**Light
Fastness**

AATCC 16E



**Electrical
Behaviour**

EN 14041, EN 1815
EN 6356



649 - DORADO WAVE



643 - WILD BROWN



679 - GREY PORCELAIN

CARPET PRIMA
SENTIASA TERMURAH



011- 1111 1116

3D MULTI LEVEL LATEST CARPET (HEAVY DUTY)



WARRANTY PRIMA



HARGA DIRECT KILANG

RM 1.88 / sqft

HARGA SIAP PASANG

RM 2.88 / sqft

>500sqft & above



KLASIFIKASI PRODUK

LEBAR	: 3.66 METER (12 FT)
BACKING	: WOVEN POLYPROPYLENE
DYE METHOD	: SOLUTION DYED
KETEBALAN	: 10 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: CAMIFIN CABLED POLYPROPYLENE BCF
CONSTRUCTION	: 1/12"MULTI LEVEL SCROLL
CARPET WEIGHT	: 2000 Gr/M ²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**

EN1307, EN1407, EN13297
EN1963, PREN15114, EN14215



Flammability

ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**

AATCC 175-1993




**Abrasion
Resistance**

EN 13329, EN 660-1
EN 660-2



**Light
Fastness**

AATCC 16E



**Electrical
Behaviour**

EN 14041, EN 1815
EN 6356

DALLAS



675 - CHARCOAL DIAMOND



677 - SMOKED PEARL



696 - GRANITE

CARPET PRIMA
SENTIASA TERMURAH



011- 1111 1116

3D MULTI LEVEL LATEST CARPET (HEAVY DUTY)



WARRANTY PRIMA



HARGA DIRECT KILANG

RM 1.88 / sqft

HARGA SIAP PASANG

RM 2.88 / sqft

>500sqft & above




KLASIFIKASI PRODUK

LEBAR	: 3.66 METER (12 FT)
BACKING	: WOVEN POLYPROPYLENE
DYE METHOD	: SOLUTION DYED
KETEBALAN	: 10 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: CAMIFIN CABLED POLYPROPYLENE BCF
CONSTRUCTION	: 1/12"MULTI LEVEL SCROLL
CARPET WEIGHT	: 2000 Gr/M ²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**

EN1307, EN1407, EN13297
EN1963, PREN15114, EN14215



Flammability

ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**

AATCC 175-1993




**Abrasion
Resistance**

EN 13329, EN 660-1
EN 660-2



**Light
Fastness**

AATCC 16E



**Electrical
Behaviour**

EN 14041, EN 1815
EN 6356

DOMINO CHECKS



643 - WOOD CHECKS



655 - BLUE GREY



679 - CHESS BOARD

CARPET PRIMA
SENTIASA TERMURAH



011- 1111 1116

3D MULTI LEVEL LATEST CARPET (HEAVY DUTY)



WARRANTY PRIMA



HARGA DIRECT KILANG

RM 1.88 / sqft

HARGA SIAP PASANG

RM 2.88 / sqft

>500sqft & above




KLASIFIKASI PRODUK

LEBAR	: 3.66 METER (12 FT)
BACKING	: WOVEN POLYPROPYLENE
DYE METHOD	: SOLUTION DYED
KETEBALAN	: 10 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: CAMIFIN CABLED POLYPROPYLENE BCF
CONSTRUCTION	: 1/12"MULTI LEVEL SCROLL
CARPET WEIGHT	: 2000 Gr/M ²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**

EN1307, EN1407, EN13297
EN1963, PREN15114, EN14215



Flammability

ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**

AATCC 175-1993




**Abrasion
Resistance**

EN 13329, EN 660-1
EN 660-2



**Light
Fastness**


AATCC 16E



**Electrical
Behaviour**

EN 14041, EN 1815
EN 6356

DOMINO DICE



649 - CABINE GREY



648 - ECLIPSE



626 - RED DAHLIA

CARPET PRIMA
SENTIASA TERMURAH



011- 1111 1116

3D MULTI LEVEL LATEST CARPET (HEAVY DUTY)



WARRANTY PRIMA



HARGA DIRECT KILANG

RM 1.88 / sqft

HARGA SIAP PASANG

RM 2.88 / sqft

>500sqft & above



KLASIFIKASI PRODUK

LEBAR	: 3.66 METER (12 FT)
BACKING	: WOVEN POLYPROPYLENE
DYE METHOD	: SOLUTION DYED
KETEBALAN	: 10 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: CAMIFIN CABLED POLYPROPYLENE BCF
CONSTRUCTION	: 1/12"MULTI LEVEL SCROLL
CARPET WEIGHT	: 2000 Gr/M ²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**

EN1307, EN1407, EN13297
EN1963, PREN15114, EN14215



Flammability

ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**

AATCC 175-1993




**Abrasion
Resistance**

EN 13329, EN 660-1
EN 660-2



**Light
Fastness**


AATCC 16E




**Electrical
Behaviour**

EN 14041, EN 1815
EN 6356

MEMPHIS



676 - CHESTNUT OAK



677 - BLACK BEAUTY



628 - HEERA MAROON

CARPET PRIMA
SENTIASA TERMURAH



011- 1111 1116

3D MULTI LEVEL LATEST CARPET (HEAVY DUTY)



WARRANTY PRIMA



HARGA DIRECT KILANG

RM 1.88 / sqft

HARGA SIAP PASANG

RM 2.88 / sqft

>500sqft & above



KLASIFIKASI PRODUK

LEBAR	: 3.66 METER (12 FT)
BACKING	: WOVEN POLYPROPYLENE
DYE METHOD	: SOLUTION DYED
KETEBALAN	: 10 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: CAMIFIN CABLED POLYPROPYLENE BCF
CONSTRUCTION	: 1/12"MULTI LEVEL SCROLL
CARPET WEIGHT	: 2000 Gr/M ²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**

EN1307, EN1407, EN13297
EN1963, PREN15114, EN14215



Flammability

ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**

AATCC 175-1993




**Abrasion
Resistance**

EN 13329, EN 660-1
EN 660-2



**Light
Fastness**


AATCC 16E




**Electrical
Behaviour**

EN 14041, EN 1815
EN 6356


MIRRAGE



676 - GREY HERMES



647 - HURRICANE



628 - CHERRYWOOD

CARPET PRIMA
SENTIASA TERMURAH



011- 1111 1116

3D MULTI LEVEL LATEST CARPET (HEAVY DUTY)



WARRANTY PRIMA



HARGA DIRECT KILANG

RM 1.88 / sqft

HARGA SIAP PASANG

RM 2.88 / sqft

>500sqft & above



KLASIFIKASI PRODUK

LEBAR	: 3.66 METER (12 FT)
BACKING	: WOVEN POLYPROPYLENE
DYE METHOD	: SOLUTION DYED
KETEBALAN	: 10 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: CAMIFIN CABLED POLYPROPYLENE BCF
CONSTRUCTION	: 1/12"MULTI LEVEL SCROLL
CARPET WEIGHT	: 2000 Gr/M ²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**

EN1307, EN1407, EN13297
EN1963, PREN15114, EN14215



Flammability

ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**

AATCC 175-1993




**Abrasion
Resistance**

EN 13329, EN 660-1
EN 660-2



**Light
Fastness**


AATCC 16E




**Electrical
Behaviour**

EN 14041, EN 1815
EN 6356

PALLADIO



677 - PIXEL GREY



676 - SPANISH LATTE



672 - RED POMPEI

CARPET PRIMA
SENTIASA TERMURAH



011- 1111 1116

NEON



WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.99 / sqft

HARGA SIAP PASANG

RM 2.99 / sqft

>500sqft & above



**CLICK HERE
TO WATCH VIDEO**

KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: WOVEN POLYPROPYLENE
MACHINE GAUGE	: 1 / 10"
KETEBALAN	: 7 - 9 MM
KESESUAIAN	: COMMERCIAL
FIBRE	: 100% BCF POLYPROPYLENE
CONSTRUCTION	: TEXTURE GRAPHIC LOOP
CARPET WEIGHT	: 24 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**

EN1307, EN1407, EN13297
EN1963, PREN15114, EN14215



Flammability

ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**

AATCC 175-1993




**Abrasion
Resistance**

EN 13329, EN 660-1
EN 660-2




**Light
Fastness**

AATCC 16E




**Electrical
Behaviour**

EN 14041, EN 1815
EN 6356



NEON-01



NEON-02



NEON-03

CARPET PRIMA
SENTIASA TERMURAH



011- 1111 1116



NEON

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



NEON-01



NEON-02



NEON-03

SPLENDOR



WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.99 / sqft

HARGA SIAP PASANG

RM 2.99 / sqft

>500sqft & above




KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: ACTION BACKING
GAUGE	: 1/10"
KETEBALAN	: 4-6 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: 100% BCF DURALAX OLEFIN
CONSTRUCTION	: LOOP PILE GRAPHIC
CARPET WEIGHT	: ca.45 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**

EN 1307, EN 1407, EN 13297
EN 1963, PREN 15114, EN 14215



Flammability

ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**

AATCC 175-1993




**Abrasion
Resistance**

EN 13329, EN 660-1
EN 660-2



**Light
Fastness**

AATCC 16E



**Electrical
Behaviour**

EN 14041, EN 1815
EN 6356




SP001



SP002




SP003



SP004



SP005



SP006



SP007



SP008

CARPET PRIMA
SENILASA TERMURAH



011- 1111 1116



SPLENDOR

SERIES



CLICK HERE
TO WATCH VIDEO



SP001



SP002



SP003



SP004



SPLENDOR

SERIES



CLICK HERE
TO WATCH VIDEO



SP005



SP006



SP007



SP008

MAGENTA

CARPET
PRIMA
KILANG NILAI 3

WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.99 / sqft

HARGA SIAP PASANG

RM 2.99 / sqft

>500sqft & above



**CLICK HERE
TO WATCH VIDEO**

KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: ACTION BACKING
DYE METHOD	: SOLUTION DYED
KETEBALAN	: 5-7 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: STRUDON POLYPROPYLENE BCF
CONSTRUCTION	: HI-LOW GRAPHIC
CARPET WEIGHT	: 750 Gr/M ²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**

EN 1307, EN 1407, EN 13297
EN 1963, PR EN 15114, EN 14215



Flammability

ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**

AATCC 175-1993




**Abrasion
Resistance**

EN 13329, EN 660-1
EN 660-2




**Light
Fastness**

AATCC 16E



**Electrical
Behaviour**

EN 14041, EN 1815
EN 6356



MM 211 BROWN




MM 222 BEIGE LINE



MM 255 GREY



MM 233 OLIVE GREEN



MM 244 BLUE LINE

CARPET PRIMA
SENTIASA TERMURAH



011- 1111 1116



MAGENTA

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



MM 211 BROWN



MM 222 BEIGE LINE



MAGENTA

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



MM 255 GREY



MAGENTA

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



MM 233 OLIVE GREEN



MM 244 BLUE LINE

HAMMER

CARPET
PRIMA
KILANG NILAI 3

WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.99 / sqft

HARGA SIAP PASANG

RM 2.99 / sqft

>500sqft & above



KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: WOVEN POLYPROPYLENE
DYE METHOD	: SOLUTION DYED
KETEBALAN	: 4 - 6 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: CAMIFIN CABLED POLYPROPYLENE BCF
CONSTRUCTION	: 1/12"MULTI LEVEL SCROLL
CARPET WEIGHT	: 700 Gr/M ²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**
EN 1307, EN 1407, EN 13297
EN 1963, PREN 15114, EN 14215




Flammability
ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**
AATCC 175-1993



**Abrasion
Resistance**
EN 13329, EN 660-1
EN 660-2



**Light
Fastness**
AATCC 16E



**Electrical
Behaviour**
EN 14041, EN 1815
EN 6356



HM.222 NATURAL WICKER



HM.777 CHOCOLATE FONDANT



HM.555 CHIC SHADOW



HM.444 WILD MIST

CARPET PRIMA
SENTIASA TERMURAH



011- 1111 1116



HAMMER

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



HM.222 NATURAL WICKER



HM.777 CHOCOLATE FONDANT



HAMMER

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



QUALITY



HAMMER

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



HM.555 CHIC SHADOW



HM.444 WILD MIST

ATRIUM



WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.99 / sqft

HARGA SIAP PASANG

RM 2.99 / sqft

>500sqft & above




KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: NON WOVEN COLBOND
DYE METHOD	: SOLUTION DYED
KETEBALAN	: 4-6 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: CAMIFIN POLYPROPYLENE BCF
CONSTRUCTION	: 1/12"MULTI LEVEL SCROLL
CARPET WEIGHT	: 700 Gr/M ²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**

EN 1307, EN 1407, EN 13297
EN 1963, PREN 15114, EN 14215



Flammability

ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**

AATCC 175-1993




**Abrasion
Resistance**

EN 13329, EN 660-1
EN 660-2



**Light
Fastness**

AATCC 16E




**Electrical
Behaviour**

EN 14041, EN 1815
EN 6356



A1 984 MAGNET BLUE



A1 985 SMOKEY GREY



A1 986 MAGIC RED



A1 987 DAZZLING BROWN

CARPET PRIMA
SENTIASA TERMURAH



011- 1111 1116




ATRIUM

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



A1 984 MAGNET BLUE




A1 985 SMOKEY GREY



ATRIUM

[CLICK HERE
TO WATCH VIDEO](#)

SERIES



QUALITY



ATRIUM

SERIES



CLICK HERE
TO WATCH VIDEO



A1 986 MAGIC RED



A1 987 DAZZLING BROWN

CRISS CROSS



WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.99 / sqft

HARGA SIAP PASANG

RM 2.99 / sqft

>500sqft & above



KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: WOVEN POLYPROPYLENE
DYE METHOD	: SOLUTION DYED
KETEBALAN	: 4-6 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: CAMIFIN CABLED POLYPROPYLENE BCF
CONSTRUCTION	: 1/12" MULTI LEVEL SCROLL
CARPET WEIGHT	: 700 Gr/M ²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**

EN 1307, EN 1407, EN 13297
EN 1963, PREN 15114, EN 14215



Flammability

ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**

AATCC 175-1993




**Abrasion
Resistance**

EN 13329, EN 660-1
EN 660-2




**Light
Fastness**

AATCC 16E



**Electrical
Behaviour**

EN 14041, EN 1815
EN 6356



CK. 602



CK. 603



CK. 608



CK. 604



CK. 607


CARPET PRIMA
SENILASA TERMURAH



011- 1111 1116

CRISS CROSS SERIES

 **CLICK HERE
TO WATCH VIDEO**



CK. 602




CK. 603

CRISS CROSS

SERIES

 **CLICK HERE
TO WATCH VIDEO**



CK. 608


CRISS CROSS

SERIES

 **CLICK HERE
TO WATCH VIDEO**



CK. 604



CK. 607

CAPRICE

CARPET
PRIMA
KILANG NILAI 3

WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.99 / sqft

HARGA SIAP PASANG

RM 2.99 / sqft

>500sqft & above



KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: NON WOVEN LUTRADOR
DYE METHOD	: SOLUTION DYED
KETEBALAN	: 4-6 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: STRUDON POLYPROPYLENE BCF
CONSTRUCTION	: TIP SHEAR GRAPHIC LOOP
CARPET WEIGHT	: 800 Gr/M ²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**

EN 1307, EN 1407, EN 13297
EN 1963, PR EN 15114, EN 14215



Flammability

ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**

AATCC 175-1993




**Abrasion
Resistance**

EN 13329, EN 660-1
EN 660-2



**Light
Fastness**

AATCC 16E



**Electrical
Behaviour**

EN 14041, EN 1815
EN 6356



C.2 224 BLUE



C.2 225 GREY



C.2 226 RED



C.2 227 BROWN



C.2 222 BEIGE

CARPET PRIMA
SENILASA TERMURAH



011- 1111 1116



CAPRICE

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



C.2 224 BLUE




C.2 225 GREY



CAPRICE

SERIES

 [CLICK HERE
TO WATCH VIDEO](#)



C.2 226 RED



CAPRICE

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



C.2 227 BROWN



C.2 222 BEIGE

SPRING 2.0



WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.99 / sqft

HARGA SIAP PASANG

RM 2.99 / sqft

>500sqft & above



KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: NON WOVEN COLBOND
DYE METHOD	: SOLUTION DYED
KETEBALAN	: 3-6 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: STRUDON POLYPROPYLENE BCF
CONSTRUCTION	: HI-LOW GRAPHIC
CARPET WEIGHT	: 850 Gr/M ²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**

EN 1307, EN 1407, EN 13297
EN 1963, PREN 15114, EN 14215



Flammability

ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**

AATCC 175-1993




**Abrasion
Resistance**

EN 13329, EN 660-1
EN 660-2



**Light
Fastness**

AATCC 16E



**Electrical
Behaviour**

EN 14041, EN 1815
EN 6356



IS 882 WINDSOR BLUE



IS 886 BRUNO BROWN



IS 884 CRONAN BROWN



IS 888 SUN DANCE



IS 889 EBONY BLACK

CARPET PRIMA
SENTIASA TERMURAH



011- 1111 1116



SPRING 2.0

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



IS 886 BRUNO BROWN



IS 882 WINDSOR BLUE



SPRING 2.0

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



IS 884 CRONAN BROWN



SPRING 2.0

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



IS 888 SUN DANCE



IS 889 EBONY BLACK

LIFE

CARPET
PRIMA
KILANG NILAI 3

WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 1.99 / sqft

HARGA SIAP PASANG

RM 2.99 / sqft

>500sqft & above

[CLICK HERE
TO WATCH VIDEO](#)

KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: WOVEN POLYPROPYLENE
DYE METHOD	: SOLUTION DYED
KETEBALAN	: 4-6 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: CAMIFIN CABLED POLYPROPYLENE BCF
CONSTRUCTION	: 1/12" MULTI LEVEL SCROLL
CARPET WEIGHT	: 750 Gr/M ²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**

EN 1307, EN 1407, EN 13297
EN 1963, PR EN 15114, EN 14215



Flammability

ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**

AATCC 175-1993




**Abrasion
Resistance**

EN 13329, EN 660-1
EN 660-2




**Light
Fastness**

AATCC 16E



**Electrical
Behaviour**

EN 14041, EN 1815
EN 6356



FH.502 BISQUE BEIGE



FH.504 DEEP BLUE



FH.508 MISTY PURPLE



FH.505 AZURE GREY



FH.507 DARK ORCHID

CARPET PRIMA
SENTIASA TERMURAH



011- 1111 1116



LIFE

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



FH.502 BISQUE BEIGE



FH.504 DEEP BLUE




LIFE

SERIES



**CLICK HERE
TO WATCH VIDEO**



FH.508 MISTY PURPLE



LIFE

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



FH.505 AZURE GREY



FH.507 DARK ORCHID

GARDEN

CARPET
PRIMA
KILANG NILAI 3

WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 2.48 / sqft

HARGA SIAP PASANG

RM 3.48 / sqft

>500sqft & above




**CLICK HERE
TO WATCH VIDEO**

KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: WOVEN POLYPROPYLENE
MACHINE GAUGE	: 1 / 8"
KETEBALAN	: 10 - 12 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: 100% BCF POLYPROPYLENE
CONSTRUCTION	: CUT LOOP TUFTED
CARPET WEIGHT	: 30 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**

EN 1307, EN 1407, EN 13297
EN 1963, PREN 15114, EN 14215



Flammability

ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**

AATCC 175-1993




**Abrasion
Resistance**

EN 13329, EN 660-1
EN 660-2



**Light
Fastness**

AATCC 16E



**Electrical
Behaviour**

EN 14041, EN 1815
EN 6356



268 - GOLD



261 - IVORY



266 - KHAKHI



2611 - BROWN

CARPET PRIMA
SENTIASA TERMURAH



011- 1111 1116



GARDEN

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



261 - IVORY



268 - GOLD



2611 - BROWN



266 - KHAKHI

EMOTION



WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 2.48 / sqft

HARGA SIAP PASANG

RM 3.48 / sqft

>500sqft & above




**CLICK HERE
TO WATCH VIDEO**

KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: WOVEN POLYPROPYLENE
MACHINE GAUGE	: 1 / 8"
KETEBALAN	: 10 -12 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: 100% BCF POLYPROPYLENE
CONSTRUCTION	: CUT LOOP TUFTED
CARPET WEIGHT	: 30 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**
EN 1307, EN 1407, EN 13297
EN 1963, PREN 15114, EN 14215




Flammability
ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**
AATCC 175-1993




**Abrasion
Resistance**
EN 13329, EN 660-1
EN 660-2



**Light
Fastness**
AATCC 16E



**Electrical
Behaviour**
EN 14041, EN 1815
EN 6356



251 - IVORY



256 - KHAKHI



258 - GOLD



2511 - BROWN

CARPET PRIMA
SENTIASA TERMURAH



011- 1111 1116



EMOTION


SERIES



CLICK HERE
TO WATCH VIDEO



251 - IVORY



258 - GOLD



2511 - BROWN



256 - KHAKHI

CIRCLES

CARPET
PRIMA
KILANG NILAI 3

WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 2.48 / sqft

HARGA SIAP PASANG

RM 3.48 / sqft

>500sqft & above




**CLICK HERE
TO WATCH VIDEO**

KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: WOVEN POLYPROPYLENE
MACHINE GAUGE	: 1 / 8"
KETEBALAN	: 10 - 12 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: 100% BCF POLYPROPYLENE
DESIGN REPEAT	: 40CM X 35CM
CONSTRUCTION	: CUT LOOP TUFTED
CARPET WEIGHT	: 30 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**

EN 1307, EN 1407, EN 13297
EN 1963, PREN 15114, EN 14215



Flammability

ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**

AATCC 175-1993




**Abrasion
Resistance**

EN 13329, EN 660-1
EN 660-2



**Light
Fastness**

AATCC 16E



**Electrical
Behaviour**

EN 14041, EN 1815
EN 6356



211 - IVORY



212 - GOLD



213 - RED



216 - KHAKHI

CARPET PRIMA
SENTIASA TERMURAH



011- 1111 1116



CIRCLES

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



211 - IVORY



212 - GOLD



213 - RED



216 - KHAKHI

HOTEL

CARPET
PRIMA
KILANG NILAI 3

WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 2.48 / sqft

HARGA SIAP PASANG

RM 3.48 / sqft

>500sqft & above




**CLICK HERE
TO WATCH VIDEO**

KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: WOVEN POLYPROPYLENE
MACHINE GAUGE	: 1 / 8"
KETEBALAN	: 10 - 12 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: 100% BCF POLYPROPYLENE
DESIGN REPEAT	: 67CM X 76CM
CONSTRUCTION	: CUT LOOP TUFTED
CARPET WEIGHT	: 30 oz/sqyd

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**

EN 1307, EN 1407, EN 13297
EN 1963, PREN 15114, EN 14215



Flammability

ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**

AATCC 175-1993




**Abrasion
Resistance**

EN 13329, EN 660-1
EN 660-2



**Light
Fastness**

AATCC 16E



**Electrical
Behaviour**

EN 14041, EN 1815
EN 6356



231 - IVORY



232 - GOLD



233 - RED



236 - KHAKHI

CARPET PRIMA
SENILASA TERMURAH



011- 1111 1116



HOTEL

SERIES


[CLICK HERE
TO WATCH VIDEO](#)




231 - IVORY



232 - GOLD



233 - RED



236 - KHAKHI

LUXURY

CARPET
PRIMA
KILANG NILAI 3

WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 2.68 / sqft

HARGA SIAP PASANG

RM 3.68 / sqft

>500sqft & above


[CLICK HERE
TO WATCH VIDEO](#)

KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: WOVE POLYPROPYLENE
GAUGE	: 1/8"
KETEBALAN	: 10 - 12 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: 100% BCF POLYPROPYLENE
CONSTRUCTION	: CUT PILE VIP CARPET
CARPET WEIGHT	: 30 OZ

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**
EN 1307, EN 1407, EN 13297
EN 1963, PR EN 15114, EN 14215



Flammability
ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**
AATCC 175-1993



**Abrasion
Resistance**
EN 13329, EN 660-1
EN 660-2



**Light
Fastness**
AATCC 16E



**Electrical
Behaviour**
EN 14041, EN 1815
EN 6356



203 - SAND



210 - CHOCOLATE



200 - TOFFEE



206 - IVORY



208 - CAMEL



207 - NAVY



202 - GREY



205 - BLACK



209 - PURPLE



201 - RED

10 - 12 MM



CARPET PRIMA
SENTIASA TERMURAH



011- 1111 1116



LUXURY

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



203 - SAND



210 - CHOCOLATE



200 - TOFFEE



206 - IVORY



208 - CAMEL



207 - NAVY



202 - GREY



205 - BLACK



209 - PURPLE



201 - RED

COPPER HILL



WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 2.68 / sqft

HARGA SIAP PASANG

RM 3.68 / sqft

>500sqft & above



KLASIFIKASI PRODUK

LEBAR	: 4 M
BACKING	: WOVE POLYPROPYLENE
DYE METHOD	: SOLUTION DYED
KETEBALAN	: 6 - 8 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: XENTRY TWISTED HEATSET FRAISE
CONSTRUCTION	: TWO TONE TWIN PLY CUT PILE HEATSET FRAISE
CARPET WEIGHT	: 750 Gr / M ²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



Stairs continuous use

EN1307, EN1407, EN13297
EN1963, PREN15114, EN14215



Flammability

ASTM D-2859-96
& CPSC FF -170




Staining Resistance

AATCC 175-1993




Abrasion Resistance

EN 13329, EN 660-1
EN 660-2



Light Fastness
AATCC 16E



Electrical Behaviour

EN 14041, EN 1815
EN 6356




CX. 104 PORCELAIN BEIGE




CX. 128 COPPER HASE



CX.102 INCITE BLUE



CX.101 SAPPHIRE BLUE



CX.122 COAL MINE



CX.198 METRO BROWN



CX.141 MULBERRY RED



CX.142 CONQUEST RED

6-8 MM



CARPET PRIMA
SENTILASA TERMURAH



011- 1111 1116



COPPER HILL

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



CX. 128 COPPER HASE



CX.141 MULBERRY RED



CX.142 CONQUEST RED



COPPER HILL

SERIES



CLICK HERE
TO WATCH VIDEO



CX. 104 PORCELAIN BEIGE



CX. 128 COPPER HASE



CX.102 INCITE BLUE



CX.101 SAPPHIRE BLUE



CX.122 COAL MINE



CX.198 METRO BROWN

FANTASIA



WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 2.88 / sqft

HARGA SIAP PASANG

RM 3.88 / sqft

>500sqft & above



KLASIFIKASI PRODUK

LEBAR	: 3.66 M
BACKING	: ACTION BACKING
STITCH RATE	: 40 PER 10CM
KETEBALAN	: 3 - 6 MM
KESESUAIAN	: COMMERCIAL
FIBRE	: 100% BCF SOLUTION DYED SYNTHETIC
CONSTRUCTION	: 1/10" TUFTED LOOP PILE GRAPHICS
CARPET WEIGHT	: 50 OZ

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**

EN 1307, EN 1407, EN 13297
EN 1963, PR EN 15114, EN 14215



Flammability

ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**

AATCC 175-1993




**Abrasion
Resistance**

EN 13329, EN 660-1
EN 660-2



**Light
Fastness**

AATCC 16E



**Electrical
Behaviour**

EN 14041, EN 1815
EN 6356



601 - 3 IVORY SUITE



601 - 5 HARBOUR BEIGE



602 - 2 ATRIUM BEIGE



602 - 3 METRO BLUE



603 - 2 STAMFORD BEIGE



604 - 2 LUXURY BEIGE



604 - 3 BLUE COVE



607 - 8 REGENCY BEIGE



613 - 6 DAZZLING RED



614 - 6 ROSES RED

CARPET PRIMA
SENILASA TERMURAH



011- 1111 1116



FANTASIA

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



601 - 3 IVORY SUITE



FANTASIA

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



601 - 5 HARBOUR BEIGE



FANTASIA

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



602 - 2 ATRIUM BEIGE



FANTASIA

SERIES

 **CLICK HERE
TO WATCH VIDEO**



602 - 3 METRO BLUE



FANTASIA

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



603 - 2 STAMFORD BEIGE



FANTASIA

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



604 - 2 LUXURY BEIGE



FANTASIA

SERIES

 **CLICK HERE
TO WATCH VIDEO**



604 - 3 BLUE COVE



FANTASIA

SERIES

 **CLICK HERE
TO WATCH VIDEO**



607 - 8 REGENCY BEIGE



FANTASIA

SERIES

 **CLICK HERE
TO WATCH VIDEO**



613 - 6 DAZZLING RED



FANTASIA

SERIES

 **CLICK HERE
TO WATCH VIDEO**



614 - 6 ROSES RED

ROYAL BLOOM

ULTRA SOFT LUXURY CARPET



HARGA DIRECT KILANG

RM 3.68 / sqft

HARGA SIAP PASANG

RM 4.68 / sqft

>500sqft & above

SPECIFICATIONS:

Quality Name	: ROYAL BLOOM
Construction	: Cut Pile
Yarn Pile	: 100% Polypropylene
Pile Weight	: 800 g (24oz)
Pile Height	: 10 mm
Primary Backing	: PP Backing
Secondary Backing	: Action Backing
Roll Size	: 4 m x 28m

SUITABLE FOR

- Residential
- Commercial
- Hospitality
- Hotel

ROYAL BLOOM

ULTRA SOFT LUXURY CARPET



**CLICK HERE
TO WATCH VIDEO**



201 - VANILLA CREAM



202 - DUTCH CREAM



203 - FLAXEN BROWN



204 - SEPIA BROWN



205 - FOSSIL GREY



206 - MAROON



208 - ROYAL BLUE



209 - PITCH BLACK



2010 - CHILLI RED



2011 - SILK CREAM



2012 - LATTE BEIGE



2016 - ASH GREY



ROYAL BLOOM

[CLICK HERE
TO WATCH VIDEO](#)

SERIES



201 - VANILLA CREAM





ROYAL BLOOM


SERIES



CLICK HERE
TO WATCH VIDEO



202 - DUTCH CREAM





ROYAL BLOOM

[CLICK HERE
TO WATCH VIDEO](#)

SERIES



203 - FLAXEN BROWN





ROYAL BLOOM

SERIES



CLICK HERE
TO WATCH VIDEO



204 - SEPIA BROWN



10MM
TEBAL




ROYAL BLOOM



CLICK HERE
TO WATCH VIDEO

SERIES



205 - FOSSIL GREY



10MM
TEBAL



ROYAL BLOOM

SERIES

[CLICK HERE
TO WATCH VIDEO](#)



206 - MAROON






ROYAL BLOOM

[CLICK HERE
TO WATCH VIDEO](#)

SERIES



208 - ROYAL BLUE





ROYAL BLOOM

[CLICK HERE
TO WATCH VIDEO](#)

SERIES



209 - PITCH BLACK





ROYAL BLOOM




CLICK HERE
TO WATCH VIDEO

SERIES



2010 - CHILLI RED






ROYAL BLOOM

[CLICK HERE
TO WATCH VIDEO](#)

SERIES



2011 - SILK CREAM





ROYAL BLOOM

SERIES



CLICK HERE
TO WATCH VIDEO



2012 - LATTE BEIGE





ROYAL BLOOM




CLICK HERE
TO WATCH VIDEO

SERIES



2016 - ASH GREY



10MM
TEBAL

MONACO



WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 7.99 / sqft

HARGA SIAP PASANG

RM 8.99 / sqft

>500sqft & above




**CLICK HERE
TO WATCH VIDEO**

KLASIFIKASI PRODUK

LEBAR	: 4 METER
BACKING	: WOVEN POLYPROPYLENE
DYE METHOD	: SOLUTION DYED
KETEBALAN	: 13 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: XENTRY TWISTED HEATSET FRAISE
CONSTRUCTION	: CUT PILE HEATSET FRAISE
CARPET WEIGHT	: 1700 Gr/M ²

REVIEW FROM CARPET PRIMA CUSTOMER

6.0



**Stairs
continuous use**

EN 1307, EN 1407, EN 13297
EN 1963, PR EN 15114, EN 14215



Flammability

ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**

AATCC 175-1993




**Abrasion
Resistance**

EN 13329, EN 660-1
EN 660-2



**Light
Fastness**

AATCC 16E



**Electrical
Behaviour**

EN 14041, EN 1815
EN 6356



M8 - 162 BEIGE



M8 - 168 GOLD



M8 - 167 BROWN



M8 - 163 GREEN



M8 - 161 LINT BLUE



M8 - 164 ROYAL BLUE



M8 - 165 GREY



M8 - 169 MAROON



M8 - 166 RED

CARPET PRIMA
SENILASA TERMURAH



011- 1111 1116



MONACO

SERIES

[CLICK HERE
TO WATCH VIDEO](#)

Cut Pile Heatset Fraise Collection

MONACO®



▲ M8 - 162 BEIGE



▲ M8 - 168 GOLD



▲ M8 - 167 BROWN



▲ M8 - 163 GREEN



▲ M8 - 161 LINT BLUE



▲ M8 - 164 ROYAL BLUE

* Specifications are subject to change when they improve product or performance.



MONACO

SERIES



**CLICK HERE
TO WATCH VIDEO**

Cut Pile Heatset Fraise Collection

MONACO®



▲ M8 - 166 RED



▲ M8 - 165 GREY



▲ M8 - 169 MAROON

Colors are approximate. Please refer to the color chart for the actual color. Colors may vary slightly due to the lighting and the background. Colors may vary slightly due to the lighting and the background. Colors may vary slightly due to the lighting and the background.

VIP RUNNER

SPEC "JKR"

WARRANTY PRIMA



KARPET ROLL

HARGA DIRECT KILANG

RM 265
3 KAKI X 20 KAKI


RM 480
4 KAKI X 30 KAKI

[CLICK HERE
TO WATCH VIDEO](#)

KLASIFIKASI PRODUK

LEBAR	: 3.66 METER (12 FT)
BACKING	: WOVEN POLYPROPYLENE
DYE METHOD	: SOLUTION DYED
KETEBALAN	: 10 MM
KESESUAIAN	: DOMESTIC / COMMERCIAL
FIBRE	: CAMIFIN CABLED POLYPROPYLENE BCF
CONSTRUCTION	: CUT PILE PLAIN
CARPET WEIGHT	: 2000 Gr/M ²

REVIEW FROM CARPET PRIMA CUSTOMER



**Stairs
continuous use**
EN 1307, EN 1407, EN 13297
EN 1963, PR EN 15114, EN 14215




Flammability
ASTM D-2859-96
& CPSC FF -170




**Staining
Resistance**
AATCC 175-1993



**Abrasion
Resistance**
EN 13329, EN 660-1
EN 660-2



**Light
Fastness**
AATCC 16E



**Electrical
Behaviour**
EN 14041, EN 1815
EN 6356



687 - VIP RED



CARPET PRIMA
SENILASA TERMURAH



011- 1111 1116



VIP RUNNER SPEC 'JKR'

SERIES



687 - VIP RED

SHOWROOM 5ACRE



BERKUALITI
DENGAN HARGA
KILANG

KILANG CARPET &
DIY DECOR
TERBESAR &
TERMURAH DI
MALAYSIA